

Single-Window Hub

Virtuous Environmental

7.



# **Government of India** Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)

To,

The Managing Director SEA QUEEN DEVELOPERS PVT. LTD.

Sea Queen Heritage, Plot No. 06, Sector-18, Palm Beach Service Road, Sanpada, Navi mumbai -400705

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/449139/2023 dated 26 Oct 2023. The particulars of the environmental clearance granted to the project are as below.

EC24B038MH110419 1. EC Identification No.

2. File No. SIA/MH/INFRA2/449139/2023

New 3. **Project Type** 4. Category В

5. Project/Activity including 8(a) Building and Construction projects Schedule No.

6. Name of Project Proposed residential cum commercial

building "National Mount View"

Name of Company/Organization SEA QUEEN DEVELOPERS PVT. LTD. 8. **Location of Project MAHARASHTRA** 

9. **TOR Date** N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Pravin C. Darade, I.A.S. Date: 08/02/2024 **Member Secretary** SEIAA - (MAHARASHTRA)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

## STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/449139/2023 **Environment & Climate** Change Department Room No. 217, 2<sup>nd</sup> Floor, Mantralaya, Mumbai- 400032.

To M/s. Sea Queen Developers Pvt. Ltd. Plot No. 14 & 15 of NAINA TPS-1, Village- Akurli, Taluka- Panvel, District- Raigad.

Subject

: Environmental Clearance for proposed residential cum commercial building "National Mount View" at Plot No. 14 & 15 of NAINA TPS-1, Village- Akurli, Taluka- Panvel, District- Raigad by M/s. Sea Queen Developers Pvt. Ltd.

Reference: Application no. SIA/MH/INFRA2/449139/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 220th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 274<sup>th</sup> meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 8th January, 2024.

Brief Information of the project submitted by you is as below:-

Sr. No.	Description	Details			
1.	Proposal Number	SIA/MH/INFRA2/449139/2023, Dated: 26.10.2023			
2.	Name of Project	Proposed residential cum commercial building National Mount View			
3.	Project category	8 (a) Building and Construction, B2			
4.	Type of Institution	Private			
5.	Project Proponent	Name	M/s. Sea Queen Developers Pvt. Ltd.		
		Regd. Office address	Sea Queen Heritage, Plot No. 06, Sector-18, Palm Beach Service Road, Sanpada, Navi Mumbai- 400705		
		Contact number	9820641612		
		e-mail	seaqueendeveloperspvtltd@gma il.com		
6.	Consultant	M/s. Kesari Infra bu	Kesari Infra build Pvt. Ltd.		
		NABET Accreditation number: NABET/EIA/2225/IA 0103- Valid till 12.10.2025			
7.	Applied for	Fresh EC			

8.	Location	of the project			•	a TPS-1,	Akurli, Panvel,
		Raigad, Maharashtra Latitude: 19° 0'20.45"N					
	Latitude and Longitude		Latitude: 19° 0'20.45"N Longitude: 73° 7'59.50"E				
10.	Plot Area (Sq. m.)		10148.00	<u>.</u>			
11.	Deductions (Sq. m.)			0.00			
12.		area (Sq. m.)		10148.00			
13.		coverage (m <sup>2</sup> )	& %	6076.365 (5	9.88 %)		
14.	FSI Area		, oggins	25260.826			
15.	Non-FSI	(Sq. m.)	<i>(</i> 40, 40)	24739.174		No. Ar <sup>an</sup> an.	
16.	Proposed	l built-up area	(FSI +	50000.000			4.
	Non FSI	) (Sq. m.)					
17.	T BUA	(m <sup>2</sup> ) approv	ed by	LOI applica	tion is in proce	SS	
	Planning Authority till date		date				
18.	Earlier I	EC details with	n Total				
	Construc	ction area, if an	y.				
19.	355-25	ction completed	This is the second of the seco				
	3.00 r	EC (FSI + No	n FSI)				
	(Sq. m.)						
20.	20. Previous EC / Existing Building					Reason for Modification /	
	Buildi	Configurat	Heig	Building	Configurati	Height	Change
	ng	ion	ht	Name	on	(m)	
	Name		(m)				
		- 48 00		1	Wing A:	65.895	It is a new
				Residenti	Ground	M up to	project and as
				al cum	Floor (Stilt	terrace	per UDCPR
				commerci	parking +	level	2020
				al	Commercial	and	
4				building	$) + 1^{st} & 2^{nd}$	70.445	
				having 2	floor	M up to	
				wings (A	podium	top	
				& B	(Parking) +	ОНТ	
			Mag <sub>er</sub>	Wing)	$3^{\text{rd}}$ to $20^{\text{th}}$	level	
					Floor		
					(Residential	( av	
					Flats)	(= 00 <b>=</b>	
					Wing B:	65.895	
					Ground	M up to	
					Floor (Stilt	terrace	
					parking +	level	
					Commercial	and	
					$) + 1^{st} & 2^{nd}$	1	
	1				1 +1004	I IVI IIII TO	i
					floor podium	M up to top	

		(Par	king) +	OHT		
		3 <sup>rd</sup>	to 20 <sup>th</sup>	level		
		Floo	r			
		(Res	sidential			
		Flat				
			3)			
ļ.						
21.	No. of Tenements & Shops	Flats: 276 Nos.	17			
	# 5 17 17 17 17 17 17 17 17 17 17 17 17 17	Shops: 14 Nos.				
		Total Units (Flats	+ Shops	: 290 No:	s.	
22.	Total Population	Flats: 1452 Nos.	1466.			
		Shops: 42 Nos.				
		Total: 1494 Nos.				
23.	Total Water Requirements	Domestic: 131		<u>rangan sang</u> Majagara		
	CMD	Flushing: 67				
		Landscaping: 06		0.4		
		Total water require	rement: 20	J <b>4</b>		
24			igati (	and in		
24.	Under Ground Tank (UGT)	Under Ground				
	location	Domestic Tank: 2				
		Flushing Tank: 2 no. of total capacity 142.20 KL				
	- 1 전	Fire Tank: 1 no. of total capacity 250.00 KL				
		RWH Tank: 1 no. of total capacity 158 KL				
25.	Source of water	NAINA, Treated	water from	n STP &	Tanker	
26.	STP Capacity & Technology	194 CMD STP ba	sed on M	BBR tech	ınology	
5.		austraulau saataan ee				
27.	STP Location	Ground				
28.	Sewage Generation CMD &	Corrossos	105 CN	<b>(D)</b>		
20.	% of sewage discharge in	Sewage generatio			<b>2.016</b>	
	sewer line	The state of the s				
	sewer line	discharged in sew	er line			
20	C-1: 1 W- 1 7					
29.	Solid Waste Management	type	Quan	· 1	<b>Freatment</b>	
j	during Construction Phase		(Kg/d	) (	lisposal	
		Dry waste	15	I	t will be handed	
					over to authorize	
	i			r	ecycler fo	
					urther handling	
					& disposa	
				İ	ourpose.	
		Wet waste	10		t will be handed	
					over to authorize	
				10	voi to authorize	

				1 0
				recycler for
				further handling
				& disposal
				purpose.
		Construction waste	The Con	struction waste
			generated d	uring construction
			_	regated, reused on
				olus shall be led to
			_	
				for recycling.
30.	Total Solid Waste Quantities	Type	Quantity	Treatment /
	with type during Operation		(Kg/d)	disposal
	Phase & Capacity of OWC to	Dry waste	398	To NAINA
	be installed	Wet waste	266	Treatment by
1				Organic
				Waste
				Convertor
2.1	D.C. A. :- S-	RG required- Not	roquired as	t . Takki,
31.	R.G. Area in Sq. m.			
		를 하는 다음을 가능하면 하는데 하는데 하는데 하는데 하는데 하는데 하다면 없는데 하는데 하는데 하는데 하는데 하는데 하는데 하는데 하는데 하는데 하		ne NAINA No 1
			50.777	PS-1219/1865/CR-
			1000	ovision of RG area
		within the plot is no	t required on g	ground
		RG provided on Mo	other earth- 650	0.609 Sg. m.
		RG provided on gro	Sary constants Revised	
		RG provided on po	dium-	
		Total- 650.609 Sq.	m.	
		Existing trees in lay	out: 11	
		No. of trees to be cut: 11 Nos. {55 trees wi		
		against 11 trees cut	The first of the control of the second of th	AND AND THE RESERVE OF THE PROPERTY OF THE PRO
		Number of trees to	The second secon	The State of the S
		2	N. C.	
		Number of trees to		1 22 22
		a) In RG area: 135		
		D. ■ 성격: * # 5# 1 전 # 구 - E. 21 E. # L	antation (with	area): 198 trees in
		66.933 Sq. m.		
		Total No. Trees wil	l be planted: 33	88 Nos.
32.	Power requirement	During Operation F	hase:	· · · · · · · · · · · · · · · · · · ·
		Details		
	****	Connected load (k	W) 2162	
		Demand load (kW		
		Demand load (KW	, 1020	
22	E	a) Total Engrave care	ing (%), 20 5	
33.	Energy Efficiency	a) Total Energy sav		
		b) Solar energy (%)	): 3	
34.	D.G. set capacity	350 kVA		

35.	No. of 4-W & 2-W Parking	2 W
	with 25% EV	Required: 390 Nos.
		Proposed: 400 Nos.
		4 W
		Required: 625 Nos.
		Proposed: 629 Nos.
36.	No. & capacity of Rain water	1 tank of 158 Cu. m. RWH tank
	harvesting tanks /Pits	
37.	Project Cost in (Cr.)	130.67 Crores
38.	EMP Cost	Construction Phase: Rs. 69.5 Lakhs. /Annum.
	1 - 그는 경토 - 제 호텔에 모르겠다. - 기자 경기 - 보호	Operation Phase:
		1.Capital Cost: Rs. 437.71 Lakhs.
		2.O & M Cost: Rs. 40.85 Lakhs/Annum.
39.	CER Details with justification	Not Applicable
	if anyas per MoEF&CC	생기는 사용하는 기계를 보면 있다. 그는 사용하는 것이 되었다. 그는 사용을 가는 것이 되었다. 그는 사용을 가장하는 것이 되었다. 그런데 그렇게 되었다. 그는 사용을 받는 것이 고 있다면 되었다. 그런데 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면
	circular	
	dated 01/05/2018	
		[발표를 1 시간] 
40.	Details of Court	Not Applicable
	Cases/litigations	
	w.r.t the project and project	
	location, if any.	

3. The proposal has been considered by SEIAA in its 274<sup>th</sup> meeting held on 8<sup>th</sup> January, 2024 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

## **Specific Conditions:**

## A. SEAC Conditions-

- 1.PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions thereunder as per the circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
- 2.PP to submit following NOCs & remarks:
- a) Water supply; b) Sewer Connection NOC; c) SWD NOC; d) Tree NOC; e) Revised Civil Aviation NOC; f) Final CFO NOC; g) C & D/SWM NOC.
- 3.Planning authority to ensure that assured water supply, sewer and storm water drainage network is made available in the vicinity of the project before issuing occupation certificate to the project.

- 4.PP to increase 2-Wheeler parking the project considering the socio-economic status around the project; PP to ensure that minimum 25% 2-wheeler and 4-wheeler parking are equipped with electric charging facility.
- 5.PP to submit revised energy calculation considering correct terrace area calculations and non-shaded terrace area & ensure minimum 5% energy saving from renewable sources and 20% overall energy saving in the project.
- 6.PP to relocate parking adjacent to the STP, DG set as well as proposed on the UGTs.
- 7.PP to relocate flushing tank adjacent to the STP.
- 8.PP to submit bifurcation of mitigation measures along with their cost for reducing air pollution and submit revised EMP of construction phase accordingly.

## **B. SEIAA Conditions-**

- 1. PP submitted that, as per Schedule -2 preliminary town planning scheme NAINA No.
  - 1 Notification number -TPS-1219/1865/CR-108/19/UD-12, Dated 03/09/2019 provision of RG area within the plot is not required on ground. Local planning authority to ensure the validity of the same.
- 2. This EC is restricted up to 39.00 m height as per Civil Aviation NOC.
- 3. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 4. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 5. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
- 6. SEIAA after deliberation decided to grant EC for-FSI-25260.826 m2, Non FSI-24407.786 m2, total BUA-49,668.612 m2. (Plan approval No-CIDCO/Plng/NAINA/Panvel/Akurli/TPS-1/IOD-001/140, Dated:23.11.2023) (FSI restricted as per appraisal and non FSI as per approval)

#### **General Conditions:**

## a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of

- wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
  - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
  - X. The Energy Conservation Building code shall be strictly adhered to.
  - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
  - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

## B) Operation phase:-

I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be

- utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions,

including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

### C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions,

Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

## Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Raigad.
- 6. Commissioner, Panvel Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Navi Mumbai.